APPROVED LIST OF PACKAGED, DRY, RAPID HARDENING CEMENTITIOUS MATERIALS FOR CONCRETE REPAIRS

July 28, 2006

This list supersedes the May 5, 2006 list.

Special Provision for Subsealing of Concrete Pavements (Revised February 1, 1995) Special Provision for Pavement Thickness Determination for Payment (Revised January 1, 2004) Standard Specification for Road and Bridge Construction, Section 1020.04 (Adopted January 1, 2002)

RAPID HARDENING CEMENT WHICH MEETS THE FOLLOWING IDOT REQUIREMENTS

- The cement shall have a maximum final set of 25 minutes, according to Illinois Modified ASTM C 191.
- The cement shall have a minimum compressive strength of 13.8 Mpa (2,000 psi) at 3.0 hours, and 27.6 Mpa (4,000 psi) at 24.0 hours, according to Illinois Modified ASTM C 109.
- The cement shall have a maximum drying shrinkage of 0.050% at 7 days, according to Illinois Modified ASTM C 596.
- The cement shall have a maximum expansion of 0.020% at 14 days, according to Illinois Modified ASTM C 1038.
- The cement shall have a minimum 80% relative dynamic modulus of elasticity; and shall not have a mass (weight) gain in excess of 0.15% or a mass (weight) loss in excess of 1.0%, after 100 cycles, according to Illinois Modified AASHTO T 161, Procedure B. At 100 cycles, specimens are measured and weighed at 73° F.

Material Code No. 37901

If fine or coarse aggregate is added, the Material Code No. is 22106, "PATCHING MIXTURE, RAPID HARDENING CEMENT".

US Concrete Products 16 Greenmeadow Drive, Suite 111 Timonium, MD 21093

Phone: 866-827-8727 or 410-561-8770

Attn: Edward Brennan
Producer Supplier No. 5831-01
www.uscproducts.com

"HIGH POWER CEMENT"

APPROVED LIST OF PACKAGED, DRY, RAPID HARDENING CEMENTITIOUS MATERIALS FOR CONCRETE REPAIRS

July 28, 2006

This list supersedes the May 5, 2006 list.

Special Provision for Subsealing of Concrete Pavements (Revised February 1, 1995)
Special Provision for Pavement Thickness Determination for Payment (Revised January 1, 2004)
Standard Specification for Road and Bridge Construction, Section 1020.04 (Adopted January 1, 2002)

R1 MORTAR WHICH MEETS ASTM C 928

Material Code No. 22100
If coarse aggregate is added, the Material Code No. is 22102, "PATCHING MIXTURE, CONCRETE, R1".

None Available

APPROVED LIST OF PACKAGED, DRY, RAPID HARDENING CEMENTITIOUS MATERIALS FOR CONCRETE REPAIRS

July 28, 2006

This list supersedes the May 5, 2006 list.

Special Provision for Subsealing of Concrete Pavements (Revised February 1, 1995) Special Provision for Pavement Thickness Determination for Payment (Revised January 1, 2004) Standard Specification for Road and Bridge Construction, Section 1020.04 (Adopted January 1, 2002)

R2 MORTAR WHICH MEETS ASTM C 928

Material Code No. 22101
If coarse aggregate is added, the Material Code No. is 22104, "PATCHING MIXTURE, CONCRETE, R2".

Dayton Superior Corporation
4226 Kansas Ave.
Kansas City, KS 66106
Phone: 866-329-8724
Attn: John C. Hukey
Technical Services
Producer/Supplier No. 494-05
www.daytonsuperiorchemical.com
"DAY-CHEM PERMA PATCH"

"HD-50 HEAVY DUTY CONCRETE PATCH"

Specco Industries, Inc. 13087 Main Street Lemont, IL 60439 Phone: 800-441-6646 Attn: Jeffrey C. Bencsik Producer/Supplier No. 3936-01

www.specco.com
"SPECCOPATCH RS"

BASF Building Systems 16317 South Chester Street Olathe, KS 66062

Phone: 913-254-1223 Fax: 913-254-1828

Attn: Darin Cielocha - Southern IL

1574 Fairway Court NE

Solon, IA 52333 Phone: 952-250-1210 Fax: 319-624-5094

Attn: Tom Karlson - Central IL

8131 Highland Avenue Downers Grove, IL 60516 Phone: 630-910-9803 Fax: 630-910-9803

Attn: Mike McCluskey – Northern IL Producer/Supplier No. 4179-05

www.basf.com

"10-60 RAPID MORTAR"

Symons Corporation 4226 Kansas Ave. Kansas City, KS 66106 Phone: 866-329-8724 Attn: John C. Hukey Technical Services Producer/Supplier No. 4622-01 www.symons.com

"SYMONS DOT PATCH"

APPROVED LIST OF PACKAGED, DRY, RAPID HARDENING CEMENTITIOUS MATERIALS FOR CONCRETE REPAIRS

July 28, 2006

This list supersedes the May 5, 2006 list.

Special Provision for Subsealing of Concrete Pavements (Revised February 1, 1995) Special Provision for Pavement Thickness Determination for Payment (Revised January 1, 2004) Standard Specification for Road and Bridge Construction, Section 1020.04 (Adopted January 1, 2002)

R3 MORTAR WHICH MEETS ASTM C 928

Material Code No. 22103

If coarse aggregate is added, the Material Code No. is 22105, "PATCHING MIXTURE, CONCRETE, R3".

BASF Building Systems
16317 South Chester Street

Olathe, KS 66062 Phone: 913-254-1223 Fax: 913-254-1828

Attn: Darin Cielocha - Southern IL

1574 Fairway Court NE

Solon, IA 52333

Phone: 952-250-1210 Fax: 319-624-5094

Attn: Tom Karlson - Central IL

8131 Highland Avenue Downers Grove, IL 60516 Phone: 630-910-9803 Fax: 630-910-9803

Attn: Mike McCluskey – Northern IL Producer/Supplier No. 4179-05

www.basf.com
"SET 45"

The Quikrete Companies 500 Marathon Parkway Lawrenceville, GA 30045 Phone: 770-216-9580 Attn: Richard Nicholson

Producer/Supplier No. 5719-01

"QUIKRETE COMMERCIAL GRADE FASTSET NONSHRINK GROUT"

Sika Corporation 201 Polito Ave. Lyndhurst, NJ 07071 Phone: 800-933-7452 Attn: Tom Buchmiller

Producer/Supplier No. 2231-01

www.sikausa.com

"SIKASET ROADWAY PATCH 2000"

Specco Industries, Inc. 13087 Main Street Lemont, IL 60439 Phone: 630-257-5060 Attn: Jeffrey C. Bencsik Producer/Supplier No. 3936-01

www.specco.com

"SPECCRETE HIGHWAY REPAIR 928"

W. R. Meadows P.O. Box 338 Hampshire, IL 60140 Phone: 800-342-5976 Attn: Steve Geiger

Producer/Supplier No. 1266-02

www.wrmeadows.com
"SEALTIGHT FUTURA-15"

APPROVED LIST OF PACKAGED, DRY, RAPID HARDENING CEMENTITIOUS MATERIALS FOR CONCRETE REPAIRS

July 28, 2006

This list supersedes the May 5, 2006 list.

Special Provision for Subsealing of Concrete Pavements (Revised February 1, 1995) Special Provision for Pavement Thickness Determination for Payment (Revised January 1, 2004) Standard Specification for Road and Bridge Construction, Section 1020.04 (Adopted January 1, 2002)

R1 AND R2 CONCRETE WHICH MEETS ASTM C 928

Material Code No. 22102 "PATCHING MIXTURE, CONCRETE, R1" 22104 "PATCHING MIXTURE, CONCRETE, R2"

None available

APPROVED LIST OF PACKAGED, DRY, RAPID HARDENING CEMENTITIOUS MATERIALS FOR CONCRETE REPAIRS

July 28, 2006

This list supersedes the May 5, 2006 list.

Special Provision for Subsealing of Concrete Pavements (Revised February 1, 1995) Special Provision for Pavement Thickness Determination for Payment (Revised January 1, 2004) Standard Specification for Road and Bridge Construction, Section 1020.04 (Adopted January 1, 2002)

R3 CONCRETE WHICH MEETS ASTM C 928

Material Code No. 22105 "PATCHING MIXTURE, CONCRETE, R3"

The Quikrete Companies 500 Marathon Parkway Lawrenceville, GA 30045 Phone: 770-216-9580 Attn: Richard Nicholson

Producer/Supplier No. 5719-01

"QUIKRETE COMMERCIAL GRADE FASTSET

CONCRETE MIX "